



Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Artistri™ P6100 Cyan Ink
MSDS Number : 130000138905

Manufacturer : DuPont
1007 Market Street
Wilmington, DE 19898

Product Information : 1-302-774-1000
Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)
Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Potential Health Effects
Skin : May cause skin irritation. May cause:, Discomfort, itching, redness, or swelling..

Eyes : May cause eye irritation. May cause:, Tearing, redness, or discomfort..

Repeated exposure
Ethane-1,2-diol : Adverse effects from repeated exposure may include: Kidney effects

Target Organ
Ethane-1,2-diol : Kidney

Carcinogenicity
None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

Ethane-1,2-diol : DuPont has classified this material as a probable human carcinogen.


Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Humectant		<30 %
Ethane-1,2-diol	107-21-1	<10 %
Copper compound		<5 %
Non regulated ingredients		>55%

Any component not specifically identified is considered a trade secret. Properties and potential hazards of any trade secret component are included in this safety data sheet.

SECTION 4. FIRST AID MEASURES

- Skin contact : Wash off immediately with plenty of water. Wash contaminated clothing before re-use. Get medical attention if irritation develops and persists.
- Eye contact : Immediately flush eye(s) with plenty of water. Seek medical advice.
- Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
- Ingestion : Is not considered a potential route of exposure. If swallowed Do NOT induce vomiting. Call a physician or poison control centre immediately.

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties



Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

Flash point : > 93 °C (> 199 °F)
Method : Pensky-Martens closed cup - PMCC

Fire and Explosion Hazard : Not a fire or explosion hazard. Cool closed containers exposed to fire with water spray.

Suitable extinguishing media : Not combustible.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Keep containers and surroundings cool with water spray.

Firefighting Instructions : Immediately evacuate personnel to safe areas. Wear suitable protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear suitable protective equipment.

Spill Cleanup : Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated surface thoroughly.

Accidental Release Measures : Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while observing environmental regulations.
Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE



Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

- Handling (Personnel) : Avoid breathing vapours or mist. Keep away from heat and flame. Do not use in areas without adequate ventilation.
Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash contaminated clothing before re-use.
- Handling (Physical Aspects) : Keep away from heat and sources of ignition. Avoid formation of aerosol.
- Storage : Store at room temperature in the original container. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do not reuse empty container.
Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls : Local exhaust or a laboratory hood should be used when handling the materials. Maintain air concentrations below occupational exposure standards.
- Personal protective equipment
 - Respiratory protection : Provide adequate ventilation.
 - Hand protection : Material: Impervious gloves
 - Eye protection : Wear safety glasses with side shields.

Exposure Guidelines
Exposure Limit Values

Humectant			
Permissible exposure limit:	(OSHA)	5 mg/m3	8 hr. TWA Respirable fraction.
Permissible exposure limit:	(OSHA)	15 mg/m3	8 hr. TWA Total dust.
Ethane-1,2-diol TLV	(ACGIH)	100 mg/m3	TLV-C Aerosol.

**Artistri™ P6100 Cyan Ink**

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

AEL * (DUPONT) 10 mg/m3 8 & 12 hr. TWA Particulate.

AEL * (DUPONT) 50 ppm 8 & 12 hr. TWA Vapor.

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid
Color : blue
Odor : acrylic-like
pH : 8.2
Boiling point : no data available
Density : 1.1 g/cm³
Water solubility : dispersible
Viscosity : 11 mPa.s at 32 °C (90 °F)

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Avoid extreme heat. Do not freeze.
Incompatibility : None reasonably foreseeable.
Hazardous decomposition products : Hazardous combustion products: Under fire conditions: carbon dioxide, Carbon monoxide, Nitrogen oxides (NO_x), Smoke
Hazardous reactions : Polymerization will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Humectant
Dermal LD50 : 56,750 mg/kg , Guinea pig



Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

- Oral LD50 : 27,260 mg/kg , Rat
- Skin irritation : No skin irritation, Rabbit
- Eye irritation : No eye irritation, Rabbit
- Skin sensitization : Does not cause skin sensitisation., human
- Repeated dose toxicity : Oral
Rat

No toxicologically significant effects were found.
- Carcinogenicity : Not classifiable as a human carcinogen.
Animal testing did not show any carcinogenic effects.
- Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Reproductive toxicity : No toxicity to reproduction
Animal testing showed no reproductive toxicity.
- Teratogenicity : Animal testing showed no developmental toxicity.

Ethane-1,2-diol

- Dermal LD50 : > 3,500 mg/kg , Mouse
- Oral LD50 : 1,650 mg/kg , Cat
- Skin irritation : No skin irritation, Rabbit
- Eye irritation : No eye irritation, Rabbit
- Skin sensitization : Does not cause skin sensitisation., human
- Repeated dose toxicity : Oral
Rat

Target Organs: Kidney
Kidney damage
- Carcinogenicity : Not classifiable as a human carcinogen.
Animal testing did not show any carcinogenic effects.
- Mutagenicity : Animal testing did not show any mutagenic effects.



Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity : No toxicity to reproduction
 No effects on or via lactation
 Animal testing showed no reproductive toxicity.

Teratogenicity : Evidence suggests the substance is not a developmental toxin in animals.

Copper compound

Dermal LD50 : > 5,000 mg/kg , Rat

Oral LD50 : > 16,000 mg/kg , Mouse

Skin irritation : No skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Skin sensitization : Does not cause skin sensitisation., Guinea pig

Repeated dose toxicity : Oral
 Rat

No toxicologically significant effects were found.

Mutagenicity : Animal testing did not show any mutagenic effects.
 Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity : No toxicity to reproduction
 Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Humectant

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 54,000 mg/l



Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

ErC50 :
48 h EC50 : Daphnia magna (Water flea) 1,955 mg/l

Ethane-1,2-diol
96 h LC50 : Pimephales promelas (fathead minnow) 72,860 mg/l
96 h ErC50 : Pseudokirchneriella subcapitata (green algae) 6,500 mg/l
48 h EC50 : Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202

Copper compound
96 h LC50 : Oncorhynchus mykiss (rainbow trout) 355.6 mg/l
72 h ErC50 : Desmodesmus subspicatus (green algae) > 100 mg/l OECD Test Guideline 201
48 h EC50 : Daphnia magna (Water flea) > 500 mg/l Directive 67/548/EEC, Annex V, C.2.

Environmental Fate

Ethane-1,2-diol
Biodegradability : Readily biodegradable. 90 - 100 % OECD Test Guideline 301
Bioaccumulation : Bioaccumulation is unlikely.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : If recycling is not practicable, dispose of in compliance with local regulations. Never place unused product down any indoor or out door drain.
Container Disposal : Do not reuse empty container. Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards.



Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

- | | |
|--|---|
| TSCA | : On the inventory, or in compliance with the inventory |
| SARA 313 Regulated Chemical(s) | : Ethane-1,2-diol |
| CERCLA Reportable Quantity | : 27 lbs
Based on the percentage composition of this chemical in the product.:
Copper compound |
| California Prop. 65 | : Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known |
| PA Right to Know Regulated Chemical(s) | : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Humectant, Ethane-1,2-diol |
| NJ Right to Know Regulated Chemical(s) | : Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Humectant, Ethane-1,2-diol, Copper compound |

SECTION 16. OTHER INFORMATION

The DuPont Oval Logo is a registered trademark of E.I. du Pont de Nemours and Company.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information



Artistri™ P6100 Cyan Ink

Version 2.1

Revision Date 11/10/2014

Ref. 130000138905

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.